


## CLAIM AMENDMENTS


### 1. (Currently Amended)

An active energy ray curable composition comprising an oxetane compound, an initiator, and containing an epoxy compound having at least one oxirane ring having substituents at least at positions  $\alpha$  and  $\beta$  of the oxirane ring,

wherein the epoxy compound is a compound represented by the following general formula (2) or (3):



where  $\text{R}_{101}$  represents a substituent,  $m1$  represents 0 to 2,  $p1$  and  $q1$  represent 1, respectively, and  $r1$  represents 1 to 3,  $\text{L}_1$  represents an  $r1 + 1$  valent linkage group with 1 to 15 carbons which may comprise oxygen or sulfur atoms in a backbone, or a single bond;



where R<sub>102</sub> represents a substituent, m<sub>2</sub> represents 0 to 2, p<sub>2</sub> and q<sub>2</sub> represent 0 or 1, respectively, and r<sub>2</sub> represents 1 to 3, L<sub>2</sub> represents an r<sub>2</sub> + 1 valent linkage group with 1 to 15 carbons which may comprise oxygen or sulfur atoms in a backbone, or a single bond.

2. (Cancelled)

3. (Canceled)

4. (Original)

The composition of claim 1, wherein a molecular weight of the epoxy compound is from 170 to 1,000.

5. (Cancelled)

6. (Previously Presented)

The composition of claim 1, ~~further containing~~ wherein the initiator is a cationic photopolymerization initiator.

7. (Cancelled)

8. (Cancelled)

9. (Original)

The composition of claim 1, containing a pigment.

10. (Original)

The composition of claim 9, wherein an average particle diameter of the pigment is from 10 to 150 nm.

11. (Original)

The composition of claim 9, further containing a pigment dispersant.

12. (Original)

The composition of claim 1, having a viscosity of 5 to 50 mPa·s at 25°C.